

Veröffentlichungen

“Aspects of electron transfer processes in vanadium redox-flow batteries”, Roznyatovskaya, N.; Noack, J.; Pinkwart, K.; Tübke, J. *Curr. Opin. Electrochem.* **2020**, 19, 42–48

DOI: [10.3390/batteries5020038](https://doi.org/10.3390/batteries5020038)

“Segmented Printed Circuit Board Electrode for Locally-Resolved Current Density Measurements in All-Vanadium Redox Flow Batteries”, Gerber, T.; Fischer, P.; Pinkwart, K.; Tübke, J. *Batteries* **2019**, 5, 38

DOI: [10.3390/batteries5020038](https://doi.org/10.3390/batteries5020038)

“Vanadium Electrolyte for All-Vanadium Redox-Flow Batteries: The Effect of the Counter Ion”, Roznyatovskaya, N.; Noack, J.; Mild, H.; Fühl, M.; Fischer, P.; Pinkwart, K.; Tübke, J.; Skyllas-Kazacos, M. *Batteries* **2019**, 5, 13

DOI: [10.3390/batteries5010013](https://doi.org/10.3390/batteries5010013)

“The influence of electrochemical treatment on electrode reactions for vanadium redox-flow batteries”, Noack, J.; Roznyatovskaya, N.V.; Kunzendorf, J.; Skyllas-Kazacos, M.; Menictas, C.; Tübke, J. *J. Energ. Chem.* **2018**, 27, 5, 1341–1352

DOI: [10.1016/j.jechem.2018.03.021](https://doi.org/10.1016/j.jechem.2018.03.021)

“A review of electrolyte additives and impurities in vanadium redox flow batteries”, Cao, L.; Skyllas-Kazacos, M.; Menictas, C.; Noack, J. *J. Energ. Chem.* **2018**, 27, 5, 1269–1291

DOI: [10.1016/j.jechem.2018.04.007](https://doi.org/10.1016/j.jechem.2018.04.007)

“The role of phosphate additive in stabilization of sulphuric-acid-based vanadium(V) electrolyte for all-vanadium redox-flow batteries”, Roznyatovskaya, N.V.; Roznyatovsky, V.A.; Höhne, C.-C.; Fühl, M.; Gerber, T.; Küttinger, M.; Noack, J.; Fischer, P.; Pinkwart, K.; Tübke, J. *J. Power Sources* **2017**, 363, 234–243

DOI: [10.1016/j.jpowsour.2017.07.100](https://doi.org/10.1016/j.jpowsour.2017.07.100)

“Vanadium proton exchange membrane water electrolyser”, Noack, J.; Roznyatovskaya, N.V.; Pinkwart, K.; Tübke, J. *J. Power Sources* **2017**, 349, 144–151

DOI: [10.1016/j.jpowsour.2017.03.039](https://doi.org/10.1016/j.jpowsour.2017.03.039)

“Study of the Long-Term Operation of a Vanadium/Oxygen Fuel Cell”, J. Noack, N.V. Roznyatovskaya, K. Pinkwart, J. Tübke, J. Power Sources (2016), Noack, J.; Cognard, G.; Oral, M.; Küttinger, M.; Roznyatovskaya, N.V.; Pinkwart, K.; Tübke, J. *J. Power Sources* **2016**, 326, 137–145

DOI: [10.1016/j.jpowsour.2016.06.121](https://doi.org/10.1016/j.jpowsour.2016.06.121)

“Techno-Economic Modeling and Analysis of Redox Flow Battery Systems”, Noack, J.; Wietschel, L.; Roznyatovskaya, N.V.; Pinkwart, K.; Tübke, J. *Energies* **2016**, 9, 8, 627

DOI: [10.3390/en9080627](https://doi.org/10.3390/en9080627)

“Towards an all-vanadium redox-flow battery electrolyte: electrooxidation of V(III) in V(IV)/V(III) redox couple”, N.V.Roznyatovskaya, Noack, J.; Fühl, M.; Pinkwart, K.; Tübke, J. *Electrochim. Acta* **2016**, 211, 926–932

DOI: [10.1016/j.electacta.2016.06.073](https://doi.org/10.1016/j.electacta.2016.06.073)

“Detection of capacity imbalance in vanadium electrolyte and its electrochemical regeneration for all-vanadium redox-flow batteries”, Roznyatovskaya, N.; Herr, T.; Küttinger, M.; Fühl, M.; Noack, J.; Pinkwart, K.; Tübke, J. *J Power Sources* **2016**, 302, 79–83

DOI: [10.1016/j.jpowsour.2015.10.021](https://doi.org/10.1016/j.jpowsour.2015.10.021)

“Dithionite / air direct ion liquid fuel cell”, Noack, J.; Tübke, J.; Pinkwart, K. *J. Power Sources* **2015**, 286, 232–238

DOI: [10.1016/j.jpowsour.2015.03.159](https://doi.org/10.1016/j.jpowsour.2015.03.159)

“Thermodynamic derivation of open circuit voltage in vanadium redoxflow batteries”, Pavelka, M.; Wandschneider, F.; Mazur, P. *J.Power Sources* **2015**, 293, 400–408

DOI: [10.1016/j.jpowsour.2015.05.049](https://doi.org/10.1016/j.jpowsour.2015.05.049)

„The Chemistry of Redox Flow-Batteries“/ “Die Chemie der Redox-Flow-Batterien”, Noack, J.; Roznyatovskaya, N.; Herr, T.; Fischer, P. *Angewandte Chemie* **2015**, engl. issue: 54 (34), 9776–9809, german issue: 127 (34), 9912–9947

DOI: [10.1002/anie.201410823](https://doi.org/10.1002/anie.201410823) and **DOI:** [10.1002/ange.201410823](https://doi.org/10.1002/ange.201410823)

„A multi-stack simulation of shunt currents in vanadium redox flow batteries”, Wandschneider F. T.; Röhm S.; Fischer P.; Pinkwart K.; Tübke J.; Nirschl H. *J. Power Sources* **2014**, 09, 261–64.

DOI: [10.1016/j.jpowsour.2014.03.054](https://doi.org/10.1016/j.jpowsour.2014.03.054)

“A coupled-physics model for the vanadium oxygen fuel cell”, Wandschneider F.T.; Kuttinger M.; Noack J.; Fischer P.; Pinkwart K.; Tübke J.; Nirschl, H. *J. Power Sources* **2014**, 259, 125–37

DOI: [10.1016/j.jpowsour.2014.02.087](https://doi.org/10.1016/j.jpowsour.2014.02.087)

“Development of carbon nanotube and graphite filled polyphenylene sulfide based bipolar plates for all-vanadium redox flow batteries”, Caglar B.; Fischer P.; Kauranen P.; Karttunen M.; Eisner P.; *J. Power Sources* **2014**, 256, 88–95

DOI: [10.1016/j.jpowsour.2014.01.060](https://doi.org/10.1016/j.jpowsour.2014.01.060)

“Development and characterization of a 280 cm² vanadium/oxygen fuel cell”, Noack J.; Cremers C.; Bayer D.; Tübke J.; Pinkwart K.; *J. Power Sources* **2014**, 253, 397–403

DOI: [10.1016/j.jpowsour.2013.12.070](https://doi.org/10.1016/j.jpowsour.2013.12.070)

“Conductive polymer composites and coated metals as alternative bipolar plate materials for all-vanadium redox-flow batteries”, Caglar B.; Richards J.; Fischer P.; Tübke, J. *Adv. Mat. Lett.* **2014**, 5(6), 299–308

DOI: [10.5185/amlett.2014.amwc.1023](https://doi.org/10.5185/amlett.2014.amwc.1023)

“Increasing the energy density of the non-aqueous vanadium redox flow battery with the acetonitrile-1,3-dioxolane-dimethyl sulfoxide solvent mixture”, Herr, T.; Fischer, P.; Tübke, J.; Pinkwart, K.; Elsner, P. *Journal of Power Sources* **2014**, 265, 317–324

DOI: [10.1016/j.jpowsour.2014.04.141](https://doi.org/10.1016/j.jpowsour.2014.04.141)

“1,3-Dioxolane, tetrahydrofuran, acetylacetone and dimethyl sulfoxide as solvents for non-aqueous vanadium acetylacetone redox-flow-batteries”, Herr, T.; Noack, J.; Fischer, P.; Tübke, J. *Electrochim. Acta* **2013**, 113, 127–133

DOI: [10.1016/j.electacta.2013.09.055](https://doi.org/10.1016/j.electacta.2013.09.055)

“Corrosion Studies on Electro Polished Stainless Steels for the Use as Metallic Bipolar Plates in PEMFC Applications”, Richards, J.; Cremers, C.; Fischer, P.; Schmidt, K. *Energy Procedia* **2012**, 20, 324–333.

DOI: [10.1016/j.egypro.2012.03.032](https://doi.org/10.1016/j.egypro.2012.03.032)

“Aging Studies of Vanadium Redox Flow Batteries”, Noack, J.; Vorhauser, L.; Pinkwart, K.; Tübke J. *ECS Transactions* **2011** 33(39), 3–9

DOI: [10.1149/1.3589916](https://doi.org/10.1149/1.3589916)

“A Comparison of Materials and Treatment of Materials for Vanadium Redox Flow Battery”, Noack, J.; Tübke, J. *ECS Transactions* **2010**, 25(35), 235–245

DOI: [10.1149/1.3414022](https://doi.org/10.1149/1.3414022)

„Lastausgleich durch Redox-Flow-Batterien“, Noack, J.; Berthold, S.; Tübke, J. *Energy 2.0 Kompendium 2009*

“Redox-flow-batteries A view of the current development position” Tübke, J.; Noack, J.; *Elektrische Energiespeicher, VDI Berichte* **2009**, 2058, 93–99

ISBN: 978-3-18-092058-0

Patente

“Methode zur Speicherung von elektrischer Energie in ionischen Flüssigkeiten”, Noack, J.; Pinkwart, K.; Tübke, J.

Patent DE 102009009357

“Luftatmende Brennstoffzelle und Zellstapel für die Oxidation von Ionen mit Luftsauerstoff”, Noack, J.; Berger, T.; Pinkwart, K.; Tübke, J.

Patent DE 102011107185
